Dart Aerospace Ltd. Tuesday, 2/26/2008 8:02:48 AM Date: Kim Johnston User: **Process Sheet** : CABIN FLOOR PROTECTOR **Drawing Name** Customer : CU-DAR001 Dart Helicopters Services Job Number : 37644 : 12661 **Estimate Number** : D35742 Part Number P.O. Number D3574 REV.A : 2/26/2008 S.O. No. : **Drawing Number** This Issue : N/A : NC Project Number Prsht Rev. ; A : SMALL /MED FAB : // Type **Drawing Revision** First Issue : 37206 Material Previous Run : 3/12/2008 Qty: 2 Um: Each Due Date Written By Checked & Approved By New Issue 07-01-22 Comment **Additional Product** Job Number: Description: Seq. #: F60029- MLEXS125F6002904 1.0 lexan grey Comment: Qty.: 64.0000 sf(s) 32.0000 sf(s)/Unit Total: F60029 lexan sheet Batch: 105330 2.0 WATER JET Comment: FLOW WATER JET 1-Cut as per Dwg D3574 Dwg Rev: _ A 2-Deburr if necessary INSPECT PARTS AS THEY COME OFF MACHINE 3.0 QC2 Comment: INSPECT PARTS AS THEY COME OFF MACHINE SECOND CHECK 4.0 QC8 Comment: SECOND CHECK SMALL FAB 1 SMALL & MEDIUM FAB RESOURCE 1 5.0

Comment: SMALL & MEDIUM FAB RESOURCE 1

Deburr if necessary.

ml08/03/04

Dart Aerospa	ce	Ltd
--------------	----	-----

W/O:		WORK ORDER C	HANGES			:	
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
		·					
						ı	
Part No	:	PAR #: Fault Category:	NCR: Ye	s No DQ	A: <u>1</u>	_ Date: <u>_</u>	2/03/06
			QA:	N/C Close	d:	_ Date:	

NCR: WORK ORDER NON-CONFORMANCE (NCR)								
		Description of NC		Corrective Action Section B	Verification	Approval	Approval	
DATE STEP		Section A			Sign & Date	Section C	Chief Eng	QC Inspector
							,	
							·	
							,	
	1 1							1

NOTE: Date & initial all entries

Date: Tuesday, 2/26/2008 8:02:48 AM User: -Kim Johnston **Process Sheet** Drawing Name: CABIN FLOOR PROTECTOR Customer: CU-DAR001 Dart Helicopters Services Job Number: 37644 Part Number: D35742 Job Number: Description: Seq. #: Machine Or Operation: INSPECT WORK TO CURRENT STEP 6.0 QC5 Comment: INSPECT WORK TO CURRENT STEP PACKAGING RESOURCE #1 Comment: PACKAGING RESOURCE #1 Identify with P/N and B/N using a permanent fine point marker, then Stock Location QC21 FINAL INSPECTION/W/O RELEASE 8.0

Comment: FINAL INSPECTION/W/O RELEASE

2008 (3/06 (2)

D3574-2 508 37644 10f7

Job Completion


Dart Aerospace Ltd


DATE STEP	WORK ORDER C	HANGES				
	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approva QC Inspector
				-	1	
Part No:	PAR #: Fault Category:	NCR: Yes	No DQ	A :	Date:	
				d:	Date:	

NCR: WORK ORDER NON-CONFORMANCE (NCR)								
		Description of NC	Corrective Action Section B				Approval	Approval
DATE	DATE STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Verification Section C	Chief Eng	QC Inspecto
							٠	
		,						
							i	
	t i		1 1			Į.	1	

NOTE: Date & initial all entries








NOTES:


- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3574-1/-2" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8961

Copyright @ 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.








NOTES:

- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3574-3" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8962


Copyright @ 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.





NO.Z



D3574-4 CABIN FLOOR PROTECTOR


NOTES:


- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3574-4" USING FINE POINT PERMANENT INK **MARKER** ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- CHECK PER TEMPLATE DT8963

Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.








NOTES:


- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3574-5" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8964

Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.







D3574-6 CABIN FLOOR PROTECTOR

NOTES:

- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3574-6" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8965

Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART AEROS	SPACE LTD	Work Order:	37644	
Description:	CABIN Floor	PROTECTOR	Part Number:	D3574-2
laspection Dwa:	D3514-1 Rev: A			Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

X First Article Prototype

Drawin g Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	1
\$ 3.00	4,006-001	3,00			·	
7.37	4630	7,37	1			
11.00	4/630	11.00				<u> </u>
(\$.35	4- ,030	76.21				
39.75	+/030	39.75			·	
44.75	4030	44.75				
53.5	4- 030	53,51				
63.50	1- 030	63.50	213-7-124			
65.35	4/030	65.25				
10.75	+636	10,75				
14.75	1 30	14.75				
35.50	4-000	25,50				
35.75	4.00	25.75				
36.00	7030	26.00				
	4630	33.87				
38.81	4630	38.81				
45.00	7030	45,00				
38.72	1- 00	58.38				
61.35	1- ,00	26.13				-
64.13		64.13				
:	1030	64.63				
			·			

				•		
Measured by:	(B)	Audited by:		Prototype Approvai:	a/	
Date:	8-3-3	Date: 08/00/04	4	Date:	1	4

Rev	Date	Change	Revised by	Approved
A		New Issue	KJ/JLM	

DART AEROSPACE LTD	Work Order:	37644
Description: CABIN FLOOR PROTECTOR	Part Number:	D3574-2
Taspection Dwg: D3574-2 Rev: A		Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

X First Article Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
7,50	4630	7.56		·		
9.80	4 .030	9.50				
10.38	4-630	10.38				
78.01	4- 68	10.88				
14.50	4- 67	14,56				
16-56	4/- 2030	1656				
18.75	4- 630	18.15				
34.13	1/- 1030	24.B				
36.20	400	26.SO				
33.88	1/036	33.88				
	1 030	34,50				•
	1030	40.25				
	4030	4350				
	1- BC	46.00				
	4- 030	7.63				
	4- 630	14.00				
	1- 30	11.50				
16.75	1030	16.75				-
	1- ,030	19.00				
E	032	25,SO				,
	1- 630	30.75				
	630	33.63				
33:15	- ,030	32.75			٠ .	

Measured by:	B	Audited by:	d	Prototype Approval:	4.
Date:	8-3-3	Date:	08/03/04	Date:	(4

Rev	Date	Change	Revised by	Approved
A		New Issue	KJ/JLM	

DART AEROS	PACE LTD	Work Order: 37644
Description:	CABIN FLOOR PROTECTOR	Part Number: 3574-2
laspection Dwg:	D3574-) Rev: A	Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

+:	X	First Artic	ele _	Proto	type	
Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
35.13	4-036	35,13				
3650	4- ,030	36,50				
	7630	4000				
87.14	4 630	41.88				
43.63	7- 030	43.63				
					<u> </u>	
	:· .					
		Tan It of the It		***		

		-				
		114			-	-
Wessured by: UR		dited by:	······································	Dic.	otype Approva	.F-
	-3-3		(,) /		Date	
· · · · · · · · · · · · · · · · · · ·		nate: OD	lostoct			e: / <i>H</i>
Rev Date C	hange				Revise	ed by Approved

			f	•		<i></i>
Messured by:	B	Audited by:	d	Prototype Approval:	u/	
Date:	9-3-3	Date:	Soloslad	Date:	1	
			——————————————————————————————————————	<u></u>		

Rev Date	Change	Revised by	Approved
A	New Issue	KJ/JLM	